Index to Berkeley & Broome's "Notices of British Fungi"

By J. Ramsbottom

RAM

CAB INTERNATIONAL
MYCOLOGICAL INSTITUTE
LIBRARY

INDEX TO BERKELEY AND BROOME'S "NOTICES OF BRITISH FUNGI"

BY

J. RAMSBOTTOM

REPRINTED FROM THE

TRANSACTIONS OF THE BRITISH MYCOLOGICAL SOCIETY

VOL. XVII, PART IV, MARCH 1933



CAMBRIDGE

AT THE UNIVERSITY PRESS

PRINTED IN GREAT BRITAIN

[Reprinted from the
TRANSACTIONS OF THE BRITISH MYCOLOGICAL SOCIETY,
Vol. XVII, Part IV, 1933.]

INDEX TO BERKELEY AND BROOME'S "NOTICES OF BRITISH FUNGI"

By J. RAMSBOTTOM

M. J. Berkeley began the publication of the "Notices of British Fungi" in 1837, and from 1848 C. E. Broome collaborated with him. The "Notices" continued until 1885 and many mycologists have felt the need of an index; probably much information about British species has been neglected because of the labour of tracking down the references.

There is a manuscript index to the "Notices," in the Department of Botany, British Museum, evidently compiled by Berkeley and formerly in the possession of Worthington G. Smith. I decided to publish this, but on examining it with that in view found that it was very incomplete. A new index was therefore compiled. In this, subgenera and sections are given as in the "Notices" and the authorities are quoted. No attempt has been made to make these uniform, except for Berkeley and his collaborators.

As is to be expected in a series lasting over 48 years the treatment is varied. So far as this concerns numbers it has been thought best to adopt the following method:

An asterisk (*) before a number indicates duplication, shown elsewhere as *bis*.

An asterisk after a number indicates that the species is mentioned, usually as a separate item, though occasionally also when some detail is given about it: sometimes the species with an asterisk belongs to the next number but it has been thought best to adopt one method of reference. It should be pointed out that this method does not agree with that of Berkeley, who writes (1837): "New localities of the rarer species will also be inserted, and any additional information respecting such as are already recorded. These by way of distinction will be marked by an asterisk."

A (†) before a name indicates that there is an illustration.

It should be noted that some of the original diagnoses of Berkeley, and Berkeley and Broome, are not those of the "Notices." It has not been thought necessary to indicate these.

New genera are indicated by the addition of the authority.

Varieties are included only when they are given a name.

Berkeley, M. J. "Notices of British Fungi"

(1) Nos. 1–37, Jardine, *Mag. Zool. & Bot.* I (1837), 42–9.
(2) 38–58, Jardine, *ibid.* I (1837), 507–13.
(3) 59–107, *Ann. Nat. Hist.* Ser. 1, I (1838), 198–208.
(4) 108–137, *ibid.* Ser. 1, I (1838), 257–64.
(5) 138–207, *Ann. & Mag. Nat. Hist.* Ser. 1, VI (1841), 355–65.
(6) 208–256, *ibid.* Ser. 1, VI (1841), 430–9.
(7) 257–322, *ibid.* Ser. 1, XIII (1844), 340–60.

BERKELEY, M. J. AND BROOME, C. E. "Notices of British Fungi"

(8) Nos. 323–379, *Ann. & Mag. Nat. Hist.* Ser. 2, II (1848), 259–68.
(9) 380–437, *ibid.* Ser. 2, V (1850), 365–80.
(10) 438–501, *ibid.* Ser. 2, V (1850), 455–66.
(11) 502–537, *ibid.* Ser. 2, VII (1851), 95–102.
(12) 538–614, *ibid.* Ser. 2, VII (1851), 176–89.
(13) 615–639, *ibid.* Ser. 2, IX (1852), 317–29.
(14) 640–661, *ibid.* Ser. 2, IX (1852), 377–87.
(15) 662–729, *ibid.* Ser. 2, XIII (1854), 396–407.
(16) 730–784, *ibid.* Ser. 2, XIII (1854), 458–69.
(17) 785–900, *ibid.* Ser. 3, III (1859), 356–77.
(18) 901–951, *ibid.* Ser. 3, VII (1861), 373–82.
(19) 952–985, *ibid.* Ser. 3, VII (1861), 449–56.
(20) 986–1037, *ibid.* Ser. 3, XV (1865), 312–22.
(21) 1038–1062, *ibid.* Ser. 3, XV (1865), 400–4.
(22) 1063–1103, *ibid.* Ser. 3, XV (1865), 444–52.
(23) 1104–1143, *ibid.* Ser. 3, XVIII (1866), 51–6.
(24) 1144–1181, *ibid.* Ser. 3, XVIII (1866), 121–9.
(25) 1182–1262, *ibid.* Ser. 4, VI (1870), 461–9.
(26) 1263–1334, *ibid.* Ser. 4, VII (1871), 425–36.
(27) 1335–1401, *ibid.* Ser. 4, XI (1873), 339–49.
(28) 1402–1500, *ibid.* Ser. 4, XV (1875), 28–41.
(29) 1501–1630, *ibid.* Ser. 4, XVII (1876), 129–45.
(30) 1631–1730, *ibid.* Ser. 5, I (1878), 17–30.
(31) 1731–1832, *ibid.* Ser. 5, III (1879), 202–12.
(32) 1833–1926, *ibid.* Ser. 5, VII (1881), 123–31.
(33) 1927–1988, *ibid.* Ser. 5, IX (1882), 176–83.
(34) 1989–2027, *ibid.* Ser. 5, XII (1883), 370–4.
(35) 2028–2050, *ibid.* Ser. 5, XV (1885), 342–5.

Abrothallus
Welwitschii Mont. 776
Acalyptospora
nervisequia Desm. 1043
Acrenomium
†ranigenum B. & Br. 1319
Acrospeira B. & Br.
mirabilis B. & Br. 952
Acrospermum
graminum Libert 164
Acrothecium
†delicatulum B. & Br. 1055
†simplex B. & Br. 950
Actidium
Hysterioides Fr. 1092
Aecidium
Asperifolii Pers. 255
berberidis P. 1469*
Galii Pers. 490
incarceratum B. & Br. 1469
Pedicularis Loboschutz 254
scrophulariae De C. 1469*
Thesii Desv. 1048
Aegerita
†candida Pers. 823, 1714*
Agaricus
(Omphalia) abhorrens, B. & Br. 1751, 1853
(Naucoria) abstrusus Fr. 1871
(Tricholoma) acerbus Bull. 668, 1194
(Pleurotus) acerinus Fr. 2000
(Pleurotus) acerosus Fr. 673
(Acetabularia) acetabulosus Sow. 1859
(Panaeolus) acuminatus Fr. 1258
(Mycena) adonis Bull. 1849
(Leptonia) aethiops Fr. 1649, 1857
(Mycena) aetites Fr. 1411
(Omphalia) affricatus Fr. 994, 1999
(Clitocybe) aggregatus Schaeff. 1735
(Psilocybe) agnarius Fr. 1257
(Psalliota) albocyaneus Fr. 793
(Galera) aleuriatus Fr. 1123
(Flammula) alnicola Fr. 1242
(Crepidotus) alveolus Lasch 685
(Clitocybe) amarella Fr. 1638
(Clitocybe) amarus Fr. 1842
(Collybia) ambustus Fr. 1409
(Entoloma) ameides B. & Br. 999
(Tricholoma) amethystinus Scop. 1733
(Lepiota) amianthinus Scop. var. Broadwoodiae B. & Br. 1730*
(Mycena) amictus Fr. 1642
(Mycena) ammoniacus Fr. 1214
(Psilocybe) ammophilus Mont. & Dur. 1661
(Clitocybe) angustissimus Fr. 1407
(Galera) antipus Lasch 1251
(Flammula) apicreus Fr. 1529, 1945

Agaricus (*cont.*)
(Hypholoma) appendiculatus Bull. var. lanatus B. & Br. 1876
(Crepidotus) applanatus Pers. 2006
(Collybia) aquosus Bull. 1340
(Leptonia) asprellus Fr. 2003
(Flammula) astragalinus Fr. 1944
(Collybia) atratus Fr. 671
(Eccilia) atrides Fr. 1858
(Pleurotus) atrocaeruleus Fr. 674
(Tricholoma) atrocinereus P. 1992
(Mycena) atro-cyaneus Batsch 1213, 1640*
(Psilocybe) atro-rufus Schaeff. 1770
(Mycena) aurantio-marginatus Fr. 1516
(Armillaria) aurantius Schaeff. 1335
(Pholiota) aurivellus Batsch 680*
(Naucoria) autochthonus B. & Br. 1121
† (Nolanea) Babingtonii Blox. 680, 903*
(Lepiota) Badhami B. & Br. 664
(Naucoria) badipes Fr. 1764
†balaninus Berk. 42
(Entoloma) Batschianus Fr. 1936
†Belliae Johnst. 143
(Lepiota) biornatus B. & Br. 1633
blandus Berk. 260
(Entoloma) Bloxami B. & Br. 677
bolaris Pers. 69
(Inocybe) Bongardi Fr. 1940*
(Hebeloma) Bongardii Weinm. 1417
(Tricholoma) brevipes Fr. 1195
(Clitocybe) brumalis Fr. 1203
(Omphalia) buccinalis Sow. 1930*
(Lepiota) Bucknalli B. & Br. 1836
(Tricholoma) bufonius Fr. 786, 2027*
(Entoloma) bulbigenus B. & Br. 1937
(Armillaria) bulbiger A. & S. 1501
(Omphalia) bullula Brig. 1753
(Crepidotus) Byssisedus P. 686
(Tricholoma) caelatus Fr. 1192
(Nolanea) caelestinus Fr. 1416
(Inocybe) caesariatus Fr. 1941
(Inocybe) calamistratus Fr. 1234
(Psathyrella) caliginosus Jungh. 1540
(Crepidotus) calolepis Fr. 1765
calopus P. 266
calyptraeformis Berk. 63
(Psalliota) campestris L. var. villaticus Brond. 1533*
(Clitophilus) cancrinus Fr. 1115
(Pholiota) caperatus P. var. macropus Fr. 1939*
(Pholiota) capistratus Cooke 1003
(Hebeloma) capniocephalus Bull. 1763
(Hypholoma) capnoides Fr. *913
(Stropharia) caput-medusae Fr. 1536
(Flammula) carbonarius Fr. 1120
†(Eccilia) carneo-griseus B. & Br. 1001
carneo-tomentosus Batsch 269
(Naucoria) carpophilus Fr. 910
(Inocybe) carptus Fr. 1655
(Hypholoma) cascus Fr. 1537, 1950*
(Psathyrella) caudatus Fr. 1261
(Amanita) Ceciliae B. & Br. 663
centunculus Fr. 72
(Lepiota) cepaestipes Sow. 1185*, 1500*
(Tricholoma) cerinus Pers. 1636
(Psilocybe) cernuus Müll. 795
(Naucoria) cerodes Fr. 1948
(Clitocybe) cerussatus Fr. 670
(Crepidotus) cheimonophilus B. & Br. 687
(Psilocybe) chondrodermus B. & Br. 1538
chrysodon Batsch 258
(Inocybe) cincinnatus Fr. 1654
(Tricholoma) cinerascens Bull. 787
(Lepiota) cinnabarinus Fr. 1402
cinnamomeus d. croceus Fr. *49
(Pleurotus) circinatus Fr. 1220
(Mycena) citrinellus Pers. 1215
(Tricholoma) civilis Fr. 1507
(Hebeloma) Clarkii B. & Br. 1345
(Mycena) clavicularis Fr. 1749
†(Psilocybe) clivensis B. & Br. 916
(Collybia) clusilis Fr. b. minor. 1211
(Lepiota) clypeolaris Fr. 1183*
(Mycena) cohaerens A. & S. 1212, 1929*
(Mycena) collariatus Fr. 1520
(Collybia) collinus Scop. 1206
(Tricholoma) colossus Fr. 1190
Columbetta Fr. 259
†(Psilocybe) comptulus B. & Br. 917, 1874
(Clitocybe) concavus Scop. 1512
conchatus Bull. 67
(Pholiota) confragosus Fr. 1232
(Flammula) conissans Fr. 1243
(Psathyra) conopileus Fr. 2010
(Naucoria) conspersus Pers. 911
(Psilocybe) coprophilus Bull. 689
(Collybia) coracinus Fr. 1207
(Psathyra) corrugis P. 1952* b. gracilis Fr. 1126*
(Pleurotus) corticatus Fr. 995
cossus Sow. 40
(Entoloma) costatus Fr. 679
(Pleurotus) craspedius Fr. 1219
(Tricholoma) crassifolius Berk. 1503*
(Psathyrella) crenatus Fr. 2013
cretaceus Fr. 148
(Clitopilus) cretatus B. & Br. 903
(Lepiota) cristatus 1926*
(Naucoria) crobulus Fr. 1249
(Mycena) crocatus Schrad. 672
(Mycena) cruentus Fr. 992
(Clitocybe) cryptarum Letellier 1844
(Tubaria) cupularis Bull. 1657
(Pholiota) curvipes Fr. 1864
(Clitocybe) cyanophaeus Fr. var. Pengellei B. & Br. 1993
cyanus Pers. 68
†cyphelliformis Berk. 49
(Mycena) debilis Fr. 1521
(Clitocybe) decastes Fr. 1845
(Flammula) decipiens Smith 1241
decolorans Fr. 60
(Hebeloma) deglubens Fr. 1117

Agaricus (*cont.*)
(Lepiota) delicatus Fr. 1186
(Armillaria) denigritus Fr. 1187
depluens Batsch 73, 1949*
(Inocybe) descissus Fr. 1526
(Inocybe) destrictus Fr. 1866
(Clitocybe) diatretus Fr. 1406
(Omphalia) directus B. & Br. 1931
(Hypholoma) dispersus Fr. 794
(Pholiota) dissimulans B. & Br. 1940
(Collybia) distortus Fr. 1205
(Inocybe) dulcamarus Pers. 1653
durus Fr. 327
echinatus Roth 147
(Clitocybe) ectypus Fr. 1204
(Hypholoma) egenulus B. & Br. 915
(Hypholoma) elaeodes Fr. 1419
(Hebeloma) elatus Batsch 1238
elixus Sow. 264
(Entoloma) elodes Fr. 790
(Psalliota) elvensis B. & Br. 1009
(Tubaria) embolus Fr. 2036
(Psathyrella) empyreumaticus B. & Br. 1262
(Crepidotus) epibryus Fr. 1766
(Crepidotus) epigaeus Pers. 1949
(Hypholoma) epixanthus Fr. 914
(Tricholoma) equestris L. 665
(Pholiota) erebius Fr. 1860
ericaeus Pers. 149
(Clitocybe) ericetorum Fr. 1338
(Lepiota) ermineus Fr. 1184
erubescens Fr. 39
erythropus Pers. 65
(Naucoria) escharoides Fr. 1122
(Leptonia) euchrous Fr. 791
(Pleurotus) euosmos Huss. 328
†(Hebeloma) euthelus B. & Br. 1004
(Mycena) excisus Lasch 1517, 1930
(Clitocybe) expallens Fr. 1511
(Collybia) exsculptus Fr. 1109
(Hebeloma) fastibilis Fr. 905, 2004*
(Psathyra) fatuus Fr. 2041
(Pleurotus) fimbriatus Bolt. 672*
(Panaeolus) fimicola Fr. 1259
(Hebeloma) firmus Pers. 1236, 1531, 1869, 1942*
(Flammula) flavidus Schaeff. 330, 792*
(Mycena) flavo-albus Fr. 989
†(Flammula) floccifer B. & Br. 909
(Inocybe) flocculosus Berk. 1940*
(Pleurotus) fluxilis Fr. 1756
(Armillaria) focalis Fr. 1837
(Lepiota) Friesii Lasch 1105
(Entoloma) frumentaceus Bull. 678
(Nolanea) fulvo-strigosus B. & Br. 1650
fulvus Bull. 59
(Clitocybe) fumosus Pers. 2027*
fusco-purpureus Pers. 41
(Flammula) fusus Fr. 2032
(Mycena) galericulatus var. calopus Fr. 1410
gambosus Fr. 140
(Inocybe) geophyllus var. lateritius 1234*
(Clitocybe) giganteus Fr. 987
(Clitocybe) gilvus P. 265, 1508
(Psathyra) glareosa B. & Br. 2011
glaucopus Schaeff. 4
(Lepiota) gliodermus Fr. 785, 1634*
†(Psathyra) Gordoni B. & Br. 922, 1661*
(Psathyra) gossipinus Bull. 1953
(Omphalia) gracillimus Weinm. 1112
(Naucoria) graminicola Nees 1532
grammopodius Bull. 61
(Lepiota) granulosus Batsch var. rufescens B. & Br. 1834
(Entoloma) griseo-cyaneus Fr. 1113
(Eccilia) griseo-rubellus Fr. 2004
griseus Fr. 141
(Flammula) gummosus Lasch 1119
(Tricholoma) guttatus Schaeff. 1839
(Flammula) gymnopodius Fr. 2032
(Armillaria) haematites B. & Br. 1635
†haematophyllus Berk. 38, 147
(Mycena) haematopus Pers. 991
(Psalliota) haemorrhoidarius Schulz. 1534
(Naucoria) hamadryas Fr. 1870
(Collybia) hariolorum Bull. 1740
(Crepidotus) haustellaris Fr. 2007
(Psilocybe) hebes Fr. 1932
(Psathyra) helobius Kalchb. 2039
(Flammula) helomorphus Fr. 1239
Helvelloides Bull. 324
(Pholiota) heteroclitus Fr. 1230
(Mycena) hiemalis Osbeck 993
(Clitocybe) hirneolus Fr. 1841
(Lepiota) hispidus Lasch 901
(Hebeloma) hiulcus Fr. 1118
(Lepiota) holosericeus Fr. 1185
horizontalis Bull. 331
(Flammula) hybridus Fr. 1243*
(Omphalia) hydrogrammus Fr. 1643, 1850
(Hypholoma) hydrophilus Bull. 1126
(Psilocybe) hygrophilus Fr. 1771
(Pleurotus) hypnophilus Fr. 2002
(Nolanea) icterinus Fr. 1415
(Lepiota) illinitus Fr. 1990
(Tricholoma) inamaenus Fr. 1733*
(Pholiota) inauratus Sm. 2031
(Clitocybe) incilis Fr. 1929
(Nolanea) infula Fr. 1760
(Omphalia) infumatus B. & Br. 1851
(Collybia) inolens Weinm. 1208
(Flammula) inopus Fr. 1417*
integrellus Fr. 142
(Stropharia) inunctus Fr. 1229, 1875
(Psalliota) inunctus Fr. 1349
(Clitocybe) inversus Scop. 1108*
(Tricholoma) Ionides Bull. 902
(Pholiota) jecorinus B. & Br. 328
†(Psalliota) Jerdoni B. & Br. 913
(Entoloma) jubatus Fr. 1224
(Nolanea) junceus Fr. 1116
(Pholiota) junonius Fr. 1231

Agaricus (*cont.*)
(Hypholoma) lacrymabundus Fr. 1254*, 1950
lampropus Fr. 145
(Leptonia) lappula Fr. 1225
(Tricholoma) lascivus Fr. 1403*
(Pleurotus) laurocerasi B. & Br. 1854
(Collybia) laxipes Fr. 2028
(Leptonia) lazulinus Fr. 1227
†Leightonii Berk. 270
(Amanita) lenticularis Lasch 1104
(Pholiota) leochromus Cooke 1002
(Mycena) leptocephalus Pers. 1747
(Tricholoma) leucocephalus Fr. 1505
†(Panaeolus) leucophanes B. & Br. 1127
(Omphalia) leucophyllus Fr. 1217
(Hypholoma) leucotephrus B. & Br. 1256
(Lepiota) licmophorus B. & Br. 1989
(Pleurotus) lignatilis Pers. 996
(Pleurotus) limpidus Fr. 1934
(Entoloma) lividus Fr. 1935
(Tricholoma) lixivius Fr. 1197, 1840*
(Tricholoma) loricatus Fr. 1503
(Flammula) lubricus Fr. 1245
(Hebeloma) lucifugus Fr. 792
(Hebeloma) lugens Fr. 1762
(Naucoria) lugubris Fr. 1945 *bis*
(Flammula) lupinus Fr. 1528
(Collybia) macilentus Fr. 1848
(Amanita) magnificus Fr. 1631
(Hebeloma) magnimamma Fr. 2005
(Entoloma) majalis Fr. 998
(Nolanea) mammosus L. 1343
Mappa Willd. 138
(Mycena) marginellus Fr. 988, 1996*
Mariae Kl. 139
(Inocybe) maritimus Fr. 1525
†(Psathyra) mastiger B. & Br. 921
†mastoideus Fr. 1
(Omphalia) maurus Fr. 1515, 1645
(Clitocybe) maximus Fr. 987*, 1337*
(Lepiota) medullatus Fr. 1732
(Psalliota) melaspermus Bull. 1254
(Lepiota) meleagris Sow. 986*
(Naucoria) melinoides Fr. 1946
melleus Vahl 664*
(Clitocybe) membranaceus Fl. Dan. 1201
(Psalliota) merdarius Fr. 1255, 1350
†(Pholiota) mesodactylius B. & Br. 329
(Lepiota) mesomorphus Bull. 1731
(Hebeloma) mesophaeus Pers. 908, 1867
(Mycena) metatus Fr. 1519, 1997
†(Lepiota) metulaespora B. & Br. 1182
(Psathyra) microrhizus Lasch 1955
(Tricholoma) militaris Lasch 1506
(Galera) minutus Quélet 1656*, 2037
mitis Pers. 48
(Flammula) mixtus Fr. 1239 *bis*
murinaceus Bull. 261
(Collybia) murinus Batsch 1210
(Amanita) muscarius L. 1500*
(Collybia) muscigenus Schth. 1408
(Inocybe) muticus Fr. 1865
(Pleurotus) mutilus Fr. 1221, 1647*
(Pholiota) Mycenoides Fr. 681
(Galera) mycenopsis Fr. 1124
(Pluteus) nanus P. 676
(Leptonia) nefrens Fr. 1759
(Tricholoma) nictitans Fr. 667
(Eccilia) nigrella Pers. 1651
(Clitocybe) nigrescens Lasch 1199
(Collybia) nitellinus Fr. 1742
(Amanita) nitidus Fr. 1833
(Psathyra) nolitangere Fr. 1954
(Psilocybe) nucisedus Fr. 1539
(Hebeloma) nudipes Fr. 1868
(Collybia) nummularius Bull. 1743
(Hebeloma) obscurus P. 682
(Clitocybe) obsoletus Batsch 1738, 1929*
(Psalliota) obturatus Fr. 1253
(Psathyra) obtusatus Fr. 918
(Collybia) oedematopus Schaeff. 1995
(Omphalia) offuciatus Fr. 1852
(Pholiota) ombrophilus Fr. 1861
(Clitocybe) orbatus Fr. *1200
(Tricholoma) oreinus Fr. 1991
(Galera) ovalis Fr. 1250
ovinus Fr. 262
(Collybia) ozes Fr. 1996
(Tricholoma) paedidus Fr. 1405
(Pleurotus) palmatus Bull. 1855
(Galera) paludosus Fr. 1125
(Tricholoma) panaeolus Fr. 1404
(Pleurotus) pantoleucus Fr. 1932
(Mycena) parabolicus Fr. 1640*
(Clitocybe) parilis Fr. 1202
(Pluteus) parvulus Weinm. 1413*
(Clitocybe) pausiacus Fr. 1737
(Naucoria) Pediades Fr. 683
pelianthinus Fr. 2
(Mycena) pelliculosus Fr. 788, 1110*
(Psathyra) pellospermus Bull. 2012
(Psathyra) pennatus Fr. 1010
(Stropharia) Percivali B. & Br. 1767
Persoonianus Phill. 1937*
(Tricholoma) pessundatus Fr. 1189, 1336
(Pleurotus) petalodes Bull. 1223
†petasatus Fr. 271
(Inocybe) phaeocephalus Bull. 1233, 1760*
(Panaeolus) Phalaenarum Fr. 796
(Crepidotus) Phillipsii B. & Br. 1658
(Omphalia) philonotis Lasch 1412
(Pluteus) phlebophorus Ditm. 676*
pholideus Fr. 272
(Psilocybe) Physaloides Bull. 690
(Nolanea) piceus Kalchb. 2029
(Flammula) picreus Fr. 1244
(Pleurotus) pictus Fr. 1647
(Hypholoma) pilulaeformis Bull. 1951
(Clitocybe) pithyophilus Fr. 1107, 1843
(Entoloma) Placenta Batsch 789, 1413*
platyphyllus P. 263, 323
(Collybia) plexipes Fr. 1209
(Mycena) plicato-crenatus Fr. 1748
(Mycena) plicosus Fr. 1641

Agaricus (cont.)
(Clitophilus) popinalis Fr. 1114
(Tricholoma) porphyroleucus Fr. 1928
(Pleurotus) porrigens P. 1222
(Tricholoma) portentosus Fr. 666
(Tricholoma) pravus Lasch 1191
(Psathyrella) pronus Fr. 924
(Collybia) protractus Fr. 1110
(Mycena) psammicola B. & Br. 1518
(Omphalia) pseudo-androsaceus Bull. 1752
pterigenus Fr. 47
pudens Pers. 64
(Mycena) pullatus Berk. & Cooke 1998
(Pleurotus) pulmonarius Fr. 1522
(Hebeloma) punctatus Fr. 906
(Naucoria) pusiolus Fr. 1347, 2034
(Tricholoma) putidus Fr. 1198, 2027*
(Hypholoma) pyrrotrichus 1950*
pyxidatus Bull. 144
racemosus Pers. 45
(Lepiota) rachodes Vitt. 257 subsp. puellaris Fr. 1632
(Crepidotus) Ralfsii B. & Br. 2008
(Lepiota) ramentacus Bull. 1184*
(Collybia) rancidus Fr. 1513
(Hebeloma) relicinus Fr. 1344
(Panaeolus) remotus Schaeff. 2040
(Pleurotus) reniformis Fr. 1648, 1755
(Inocybe) Rennyi B. & Br. 1761
(Entoloma) repandus Bull. 676*
(Tricholoma) resplendens Fr. 1337
(Entoloma) resutus Fr. 1414
reticulatus Pers. 70
(Omphalia) retostus Fr. 1750
(Pleurotus) revolutus Kickx 1933
(Eccilia) rhodocalyx Lasch 904
(Clitocybe) rivulosus P. 1734 var. neptuneus Batsch 1994
(Armillaria) robustus A. & S. 1502
(Crepidotus) Rubi Berk. 1657*
†rubidus Berk. 3
(Galera) rubiginosus P. 1252
(Naucoria) rubricatus B. & Br. 1873
(Mycena) rubro-marginatus Fr. var. fusco-purpureus Lasch 1639
(Omphalia) rufulus B. & Br. 325
(Mycena) rugosus Fr. 990
(Omphalia) rusticus Pers. 1217 *bis*
(Pleurotus) Ruthae B. & Br. 1754
(Mycena) saccharíferus B. & Br. 1216
(Clitocybe) Sadleri Berk. 1734 *bis*
(Flammula) sapineus Fr. 1006
(Tricholoma) saponaceus Fr. 1106
(Inocybe) scabellus Fr. 1235, 1940*
(Flammula) scambus Fr. 1417*
(Tricholoma) Schumacheri Fr. 1927
(Psilocybe) scobicola B. & Br. 1769
(Stropharia) scobinaceus Fr. 1660
(Naucoria) scolecinus Fr. 1247
(Naucoria) semiflexus B. & Br. 1246
(Lepiota) seminudus Lasch 1634, 1835
semiorbicularis Bull. 274
(Collybia) semitalis Fr. 1739
†(Psathyra) semivestitus B. & Br. 920
(Hebeloma) senescens Batsch 1941 *bis*
(Clitocybe) senilis Fr. 1847
(Pleurotus) septicus Fr. 1413*
(Pleurotus) serotinus Schrad. 997
serrulatus Fr. 146
(Naucoria) sideroides Bull. 1007, 1947
(Hypholoma) silaceus P. 1498
(Hebeloma) sinapizans Fr. 1237
(Naucoria) siparius Fr. 684
(Lepiota) sistratus Fr. 1185 *bis*
(Naucoria) sobrius Fr. 912, 1348
(Clitocybe) socialis Fr. 1637
(Leptonia) solstitialis Fr. 1226
(Tricholoma) sordidus Fr. 1196, 1336*
(Volvaria) speciosus Fr. 5, 902*
(Pholiota) spectabilis Fr. 904*
(Entoloma) speculum Fr. 1938
(Galera) Sphagnorum Pers. 1008
(Panaeolus) sphinctrinus Fr. 1662
(Pluteus) spilopus B. & Br. 1856
(Amanita) spissus Fr. 986
(Clitocybe) splendens Fr. 1510
(Pleurotus) spongiosus Lasch 1218
(Flammula) spumosus Fr. 1240
(Tubaria) stagninus Fr. 2005 *bis*
(Tricholoma) stans Fr. 1838
stellatus Br. 268
(Psalliota) stercorarius Fr. 688
sterquilinus Fr. 150
(Collybia) Stevensoni B. & Br. 1497
(Clitopilus) stilbocephalus B. & Br. 1758
(Collybia) stolonifer Jungh. 1744, 1848 *bis*
(Hypholoma) storea Fr. 1418
(Omphalia) striaepileus Fr. 1646
(Amanita) strobiliformis Fr. 662
(Clitocybe) subalutaceus Batsch 1509
(Psathyrella) subatratus Batsch 1260
(Panaeolus) sub-balteatus B. & Br. 923
(Armillaria) subcavus Schum. 1403
(Hebeloma) subcollariatus B. & Br. 1942
(Psilocybe) subericaeus Fr. 2009
(Psalliota) subgibbosus Fr. 2038
(Clitocybe) subinvolutus Batsch 1508*
(Hypholoma) sublateritius var. Schaefferi B. & Br. 1768
(Pholiota) subluteus Fl. Dan. 2030
(Tricholoma) subpulverulentus Pers. 669
(Pholiota) subsquarrosus Fr. 1862
(Collybia) succineus Schaeff. 1339
(Volvaria) Taylori B. & Br. 675
(Omphalia) telmaticus Cooke 1999
(Volvaria) temperatus B. & Br. 1757
(Naucoria) temulentus Fr. 1530
(Naucoria) tenax Fr. 1248, 1872
tener Schaeff. var. pubescens 2005*
(Lepiota) Terreii B. & Br. 1183
(Pholiota) terrigenus Fr. 1652* var. minor B. & Br. 1533
(Collybia) tesquorum Fr. 1745
(Entoloma) Thomsoni B. & Br. 1523

Agaricus (*cont.*)
(Stropharia) thraustus Kalkb. 1659
(Tricholoma) tigrinus Schaeff. 1193, 1636*
(Mycena) tintinnabulum Fr. 1746
(Clitocybe) tornatus Fr. 1200
trechisporus Berk. 71
(Psathyrella) trepidus Fr. 1956
(Inocybe) Trinii Weinm. 1656
(Clitocybe) Trogii Fr. 1846
(Clitocybe) trullaeformis Fr. 1108
(Hebeloma) truncatus Fr. 1346
(Clitocybe) tuba Fr. 1736
(Pholiota) tuberculosus Fr. 1863
tuberosus Bull. 44, 1205*
(Tricholoma) tumidus P. 1840
(Collybia) tylicolor Fr. 1341
(Pleurotus) ulmarius Bull. 1853*
(Omphalia) umbelliferus L. 267 var. abiegnus B. & Br. 1413 var. viridis Fl. Dan. 1749*
umbilicatus Schaeff. 1644
undatus Berk. 43
(Clitopilus) undatus Fr. 1000
unguinosus Fr. 62
(Pholiota) unicolor Fr. 1524
(Psathyra) urticaecola B. & Br. 919
(Tricholoma) ustalis Fr. 1188
Vahlii Schum. 1652
Vaillantii Fr. 66
(Hebeloma) vatricosus Fr. 1005
(Hypholoma) velutinus Pers. 1009*, 1950*
(Collybia) ventricosus Bull. 1514, 1741
(Nolanea) verecundus Fr. 1228
(Pholiota) verruculosus Lasch 1939
(Hebeloma) versipellis Fr. 907
vervacti Fr. 273
(Flammula) vinosus Bull. 1943
(Tricholoma) virgatus Fr. 1504
(Mycena) vitreus Fr. 1111
(Galera) vittaeformis Fr. 1535, 2035
vulgaris Pers. 46
(Inocybe) Whitei B. & Br. 1527
(Entoloma) Wynnei B. & Br. 1342
(Mycena) Zephirus Fr. 1640
Ailographum [Aylographum]
amplum B. & Br. 782
†maculare B. & Br. 968
Antennaria
†semiovata B. & Br. 784
Anthina
flammea Fr. 119
Apyrenium
†armeniacum B. & Br. 1141
Arcyria
†(Lachobolus) congesta B. & Br. 1604
ferruginea Rtf. 1603
Friesii B. & Br. 1602
ochroleuca Fr. 115
umbrina Schum. 389
Arthrinium
Puccinioides Kz. 256
Arthrobotryum
†atrum B. & Br. 822
stilboideum Cesati 943
Ascobolus
†argenteus Curr. 1088
†carneus Pers. 1085*
†ciliatus Schm. 1083*
†cinereus Crouan *1085
†consociatus B. & Br. 1491
†Crouani Cooke 1085, 1156*
†denudatus Fr. 1083
†depauperatus B. & Br. 1084
†glaber P. 1085*
†granuliformis Crouan 1086
†Jungermanniae B. & Br. 1082
†Kerverni Cr. 1090
†macrosporus Crouan 1089
†microsporus B. & Br. 1087
†saccharinus Berk. & Curr. 1091*
†sexdecemsporus Crouan 1091
†testaceus (Berk.) B. & Br. 1082*
†vinosus Berk. 1093*
viridis Curr. 1081
Ascochyta
metulaespora B. & Br. 1730
Ascomyces
alni B. & Br. 1628
pruni (Fuckel) 1629
Ascophanus
aurora Crouan 1329
Ascotricha Berk.
†charatarum Berk. 116
Aspergillus
†alternatus Berk. 126
†aurantiacus Berk. 237
dubius Corda 520
griseus Lk 1912
Asteroma
Brassicae Chev. 204
†labes Berk. 203
†Padi Grev. 201
†Rosae Lib. 202
veronicae Desm. 55
Atractium
flammeum Berk. & Rav. 757

Bactridium
†acutum Berk. & White 1704
†Helvellae B. & Br. 816
Badhamia
capsulifera Bull. 1595
fulvella Berk. 733
inaurata Curr. 1034
nitens Berk. 731
pallida Berk. 732
Balsamia
platyspora Berk. 318
Batarrea
phalloides P. 803, 1375*
Blastotrichum
Puccinioides Preuss 1175*
Bloxamia B. & Br.
†truncata B. & Br. 783

Bolacotricha B. & Br.
†grisea B. & Br. 506
Bolbitius
rivulosus B. & Br. 1773
Boletus
aereus Bull. 1425
alutarius Fr. 342
aurantiporus Howse 2045
badius Fr. 804
carnosus Rostk. 1426
chrysenteron Bull. 339
collinitus Fr. 1284
cyanescens Bull. 1020*, 1363*
felleus Bull. 79
inunctus Kromb. 1362
parasiticus Bull. 338
pruinatus Fr. 1285
purpureus Fr. 341
pusio Howse 1798
rubinus Smith 1363
Satanas Lenz 340
spadiceus Schaeff. 1797
sulfureus Fr. 1424
†variecolor B. & Br. 1020
viscidus Linn. 278
Botrytis
arborescens Berk. 525
Arenariae Berk. 523
†citrina Berk. 127
†curta Berk. 128
†destructor Berk. 239
ganglioniformis Berk. 526
grisea (Ung.) B. & Br. 528
infestans Mont. 521
†Jonesii B. & Br. 760
lateritia Fr. 238
macrospora Unger 527
†terrestris Pers. 240
Tilletei Desm. 529
Urticae Libert 522
Viciae Berk. 524
Bovista
ammophila Lév. 1033

Calocera
corticalis Fr. 1977
glossoides Fr. 371
striata Fr. 1140
stricta Fr. 1032
Camptoum
curvatum Lk. 518
Cantharellus
albidus Fr. 1421
Brownii B. & Br. 336
cibarius Fr. 1781*
cinereus Fr. 1016*
crispus Fr. 1135
fissilis Fr. 76
Friesii Quélet 1782
Haughtoni Phill. 1565
lutescens Fr. 74
radicosus B. & Br. 1134, 1283*
Stevensoni B. & Br. 1422
umbonatus Fr. 801
undulatus Fr. 75
Capnodium
elongatum Berk. & Desm. 900
Cenangium
ferruginosum Fr. 161
Ribis Fr. 585
Rubi Dub. 1924
Centhospora
Phacidioides Desm. 437*
Cephalotheca
†sulfurea Fuckel 1729
Cephalotrichum
†curtum Berk. 222
Cercaspora
Bloxami B. & Br. 1979
Chaetomium
†glabrum Berk. 1397*
†rufulum B. & Br. 1397
Chaetosphaeria
innumera Tul. 1728*
Chaetrostroma
Buxi Cord. 495*, 898*
stipitatum Cd. 1312
Chalera
longipes Strauss 1911
Cheirospora
botryospora Fr.* 441
Choiromyces
melanaxanthus Tul. 319
Chondrioderma
niveum Rtf. 1594
Oerstedii Rtf. 1593
Cladoderris
minima B. & Br. 1692
Cladosporium
brachormium B. & Br. 515
dendriticium Wallr. 512
†depressum B. & Br. 514
lignicolum Corda 516
nodulosum Cord. 517
orbiculatum Desm. 513
Cladotrichum
†triseptatum B. & Br. 511
Clathrus
cancellatus 304
Clavaria
argillacea Fr. 370
aurea Schaeff. 722, 1374*
Botrytis P. 721
canaliculata Quélet 1895
condensata Fr. 1587
contorta Holmskiold 291
crispula Fr. 723
crocea Pers. 367
curta Fr. 1448
flaccida Fr. 154
flavipes Pers. 83
formosa Pers. 1031
fumosa P. 1303
fusiformis Sow. 1698*
juncea Fr. var. β vivipara Fr. 52
Krombholzii Fr. 1586

Clavaria (*cont.*)
Kunzei Fr. 1819
ligula Fr. 1820
pistillaris Linn. 82
purpurea Müll. 368
pyxidata P. 1976
rufa Fl. Dan. 155
spinulosa P. 1302
†tenuipes B. & Br. 369
tuberosa Sow. 1448*
Coccotrichum
†brevius B. & Br. 1918
Coleosporium
pingue Lév. var. alchemillae B. & Br. 1468
Coniocybe
baeomyciodes 1181*
Coniothecium
Amentacearum Cord. 460
betulinum Cord. 461
effusum Cord. 459
Coniothyrium
glomeratum Corda 752
Coprinus
alternatus Fr. 1957
aratus B. & Br. 927, 1956*
cothurnatus Godey 2015
†filiformis B. & Br. 928
flocculosus Fr. 926, 2014
fuscescens Fr. 1262*
Hendersoni Berk. 927*
narcoticus Batsch 1877
ovatus Fr. 925
papillatus Fr. 1958
platypus Berk. 2042
similis B. & Br. 1011
Cordyceps [Cordiceps]
alutacea Fr. 827
microcephala Tul. *828
†pistillariaeformis B. & Br. 969
purpurea Fr. 828
Corticium
†amorphum Fr. 1582
†arachnoideum Berk. 287
cinnamomeum Fr. 1584, 1694
citrinum Pers. 1695
confluens Fr. 716
evolvens Fr. 1029
ferrugineum P. 1585
foetidum B. & Br. 1824
lacunosum B. & Br. 1371
limitatum Mont. 1697
maculaeforma Fr. 1975
nudum Fr. 715
porosum Berk. & Curt. 1821
puberum Fr. 1822
salicinum Fr. 1581
scutallare Berk. & Curt. 1825
serum Fr. 1583, 1697*
subdealbatum B. & Br. 1823
sulphureum Fr. var. ochroideum B. & Br. 1370*
umbrinum A. & S. 1974
velutinum Fr. 288
violaceo-lividum Fr. 1696
Cortinarius
(Hygrocybe) acutus Fr. 797
(Phlegmacium) anfractus Fr. 692
(Dermocybe) anthracinus Fr. 1269
(Hygrocybe) armeniacus Schaeff. 696
(Telamonia) armillatus Fr. 1354
(Telamonia) bivelus Fr. 1271
(Inoloma) Bulliardi P. 693, 1128*
(Inoloma) camphoratus Fr. 1128
(Dermocybe) camurus Fr. 1546
(Phlegmacium) caperatus Fr. 691
(Dermocybe) cinnabarinus Fr. 1352
(Phlegmacium) claricolor Fr. 1541
(Dermocybe) cotoneus Fr. 1960
(Phlegmacium) croceo-caeruleus Fr. 1543
(Inoloma) cyanites Fr. 1544
(Hygrocybe) decipiens Fr. 1129, 1356
(Phlegmacium) decoloratus Fr. 1541 *bis*
(Dermocybe) decumbens Fr. 1775
(Hydrocybe) detonsus Fr. 1552
(Phlegmacium) dibaphus Fr. 1265
(Hydrocybe) dilutus Fr. 1664
(Hygrocybe) duracinus Fr. 1776
(Hydrocybe) erythrinus Fr. 1665, 2043
(Hydrocybe) fasciatus Fr. 1884
(Telamonia) flabellum Fr. 1881
(Phlegmacium) fulgens Fr. 1012
(Hygrocybe) germanus Fr. 2018
(Telamonia) haematochalis Fr. 1273
(Telamonia) Helvelloides Fr. 929
(Telamonia) helvolus Fr. 1355
(Telamonia) hemitrichus Fr. 930
(Myxacium) illibatus Fr. 1879
(Telamonia) impennis Fr. 1880
(Telamonia) incisus Fr. 1272
(Hydrocybe) jubarinus Fr. 1883
(Hygrocybe) Junghuhnii Fr. 1130
(Telamonia) licinipes Fr. 1549
(Hydrocybe) milvinus Fr. 1553
(Dermocybe) myrtillinus Fr. 1547, 1879
(Hygrocybe) obtusus Fr. 1274
(Dermocybe) ochroleucus Fr. 1268
(Dermocybe) orellanus Fr. 1270
(Telamonia) paleaceus Fr. 1882
(Telamonia) periscelis Fr. 694
(Telamonia) plumiger Fr. 1550
(Myxacium) pluvius Fr. 1267
(Phlegmacium) porphyropus Fr. 1351
(Telamonia) psammocephalus Bull. 695
(Telamonia) punctatus Fr. 1551
(Telamonia) quadricolor Fr. 1663
(Inoloma) redimitus Fr. 1545
(Hygrocybe) rigens Fr. 931
(Phlegmacium) russus Fr. 1264
(Myxacium) salor Fr. 1878
(Telamonia) scutulatus Fr. 2016
(Phlegmacium) sebaceus Fr. 1542
(Phlegmacium) serarius Fr. 1959
(Telamonia) stemmatus Fr. 2017
(Myxacium) stillatitius Fr. 1266
(Hygrocybe) subferrugineus Fr. 1275

Cortinarius (*cont.*)
(Telamonia) torvus Fr. 1353
(Inoloma) traganus Fr. var. finitimus Weinm. 1499
(Phlegmacium) triumphans Fr. 1263, 1350*
(Phlegmacium) turmalis Fr. 1774
(Dermocybe) venetus Fr. 1548
Cryne
turbinata Schum. 165
Coryneum
compactum B. & Br. 449
disciforme Kze 450
b. ellipticum B. & Br. 450*
†macrospermum B. & Br. 941
microstictum B. & Br. 451
Craterellus
clavatus Fr. 1445
cornucopioides Fr. 1139*
lutescens Fr. 1573*
Craterium
leucostictum Fr. 1599
Cribraria
argillacea Pers. 1036
aurantiaca Fr. 1037
fulva var. b. intermedia Schrad. 1601
intricata Schrad. 1309
macrocarpa Schrad. 1600
Cryptosporium
Caricis Corda 403
Neesii Cord. 404
turgidium B. & Br. 1899
Cylindrium
septatum Bonorden 954
Cylindrosporium
Ficariae Berk. 135, 1458*
longipes Preuss 1705
niveum B. & Br. 1459
rhabdospora B. & Br. 1458
senecionis B. & Br. 1613
Cyphella
Bloxami Berk. & Phill. 1894
Curreyi B. & Br. 935
dochmiospora B. & Br. 1373
fraxinicola B. & Br. 1446
fulva Berk. & Rav. 936
galeata (Schum.) B. & Br. 718
Goldbachii Weinm. 720
griseo-pallida Weinm. 289
muscigena (Pers.) B. & Br. 717
ochroleuca B. & Br. 719
pallida B. & Br. 1372
stuppea B. & Br. 1698
Cystotricha B. & Br.
†striola B. & Br. 448
Cytispora
Hendersoni B. & Br. 436
†orbicularis Berk. 106

Dacrymyces
deliquescens (Bull.) B. & Br. 728
†macrosporus B. & Br. 1374
†sebaceus B. & Br. 1305
†Urticae Fr. 90
†vermiformis B. & Br. 1700
Dactylium
cervinum B. & Br. 1716
†implexum B. & Br. 1381
†melleum B. & Br. 1382
†modestum White 1718
†obovatum Berk. 242
Rennyi B. & Br. 1383
†sphaerocephalum Berk. 243
†spirale White 1717
tenellum Fr. 536
tenuissimum Berk. 537
Daedalea
aurea Fr. 1892
cinerea Fr. 1968
confragosa P. 279, 711*
heteromorpha Fr. 1812
mollis Sommf. *1361
polyzona Pers. 2048
Dematium
echinobotryum Fr. 124
hispidulum Fr. 234
Dendryphium
comosum Wallr. 820
†curtum B. & Br. 538
†griseum B. & Br. 540
†laxum B. & Br. 539
Dermatea
cinnamomea DC. 1923
Desmazierella
acicola Lib. 1720
Diachea
elegans Fr. 112
Diatrype
(Lignosae) Badhami Currey 836
(Circumscriptae) cincta B. & Br. 846
coramblycola B. & Br. 1725
(Circumscriptae) corniculata B. & Br. 845
(Lignosae) denigrans Currey 835
(Lignosae) dryophila Currey 832
(Concrescentes) elevata B. & Br. 844
(Versatiles) Hystrix Fr. 840
(Lignosae) inaequalis Currey 837
(Concrescentes) incarcerata B. & Br 842
(Lignosae) nucleata Currey 833
†(Versatiles) pyrrhocystis B. & Br. 841
(Versatiles) quercina Fr. 839
(Versatiles) sordida B. & Br. 838
(Concrescentes) stipata Curr. 843, 970*
†(Lignosae) undulata Fr. 831
(Lignosae) varians Currey 834
Dictyosporium
elegans Corda 458
Diderma
contextum Pers. 109
†lucidum B. & Br. 938
Didymium
congestum B. & Br. 384
daedaleum B. & Br. 385
effusum (Lk.) 1988

Didymium (*cont.*)
furfuraceum (Schum.) B. & Br. 734
melanopus Fr. 110, 382
serpula Fr. 1035
squamulosum A. & S. 1375*
tigrinum Schrad. 383
xanthopus Fr. 111
Dilophospora
graminis Desm. 1040
Dinemasporium
gramineum Lév. 446
Diplodia
caespitosa B. & Br. 409
confluens B. & Br. 408
consors B. & Br. 412
Cowdellii B. & Br. 406
fibricola Berk. 741
†Ilicicola Desm. 206
mutila Fr. 407
oöspora Berk. 742
paupercula B. & Br. *406
tecta B. & Br. 411
Viticola Desm. 207
vulgaris Lév. 410
Discella B. & Br.
abnormis B. & Br. *429
†carbonacea B. & Br. 426
†Desmazierii B. & Br. 427
†microsperma B. & Br. 429
platyspora B. & Br. 428
Ditiola
†nuda B. & Br. 375
radicata Fr. 729*
Dothidea
betulina Fr. 1493*, 1729*
Chaetomium Kz. 200
hymenicola B. & Br. 660*
Johnstoni B. & Br. 661
melanops Tul. 1179
Piggotii B. & Br. 660
pyrenophora Fr. 199
Sphaerioides Fr. 198
†tetraspora B. & Br. 899

Echinobotryum
atrum Cord. *457
Elaphomyces
†granulatus Fr. 211
muricatus Fr. 212
Endodesmia B. & Br.
†glauca B. & Br. 1318
Enerthenema
†elegans Bowm. 388
Epicoccum
micropus Cd. 1313
neglectum Desm. 500
Epitea
Baryi B. & Br. 755
Epochnium
†macrosporoideum Berk. 131
Eriospora B. & Br.
†leucostoma B. & Br. 438

Eurotium
lateritium Lk 1925
Eustegia
arundinacea Fr. 1500
Eutypa aspera Fr. 1726
Excipula
†chaetostroma B. & Br. 445
†fusispora B. & Br. 814
macrotricha B. & Br. 444
Exidia
saccharina Fr. 811
Exobasidium
vaccinii Wor. 1615

Fusarium
cucumerinum B. & Br. 1611
†equiseti Desm. 1907
†heteronema B. & Br. 1051
heterosporium Nees 955
lateritium Nees 249
minutulum Cd. 1457*
rhabdophorum B. & Br. 1612
salicinum Cd. 1908
translucens B. & Br. 1610
Fusisporium
album Desm. 248
bacilligerum B. & Br. 548
Betae Desm. 246
foeni B. & Br. 550
Georginae Kl. 247
roseolum Steph. 549
†udum Berk. 245

Geaster
fimbriatus Fr. 209
limbatus Fr. 1895*
mammosus Chev. 379, 1590*
Michelianus B. & Br. 1374*, 1590*
rufescens P. 378
tunicatus Vitt. 1306
Genea
bombycina Vitt. 316
hispidula Berk. 1094*
papillosa Vitt. 315, 1094*
Geoglossum
glutinosum Fr. 290
olivaceum P. 765
Gloeosporium
concentricum B. & Br. 441
cytisi B. & Br. 1897
Hendersoni B. & Br. 1702
labes Mont. 440
Lindemuthianum Saccardo 1984
paradoxum Mont. 439
†umbrinellum B. & Br. 1144
violae B. & Br. 1703
Gomphidius
gracilis B. & Br. 698
Gonatosporium
Puccinioides Corda 519
Gonytrichum
fuscum Cd. 1054

Grandinia
crustosa P. 1443 var. lignorum Fr. 1690
mucida Fr. 1691
ocellata Fr. 1027
papillosa Fr. 282
Graphiola
Phoenicis Poiteau 1049
Graphium
stilboideum Cord. 1315
Gymnosporium
lateritium B. & Br. 1903
Gyromitra
gigas Fr. 1476

Haplographium B. & Br.
†delicatum B. & Br. 818
Helicocoryne
viridis Corda 951
Helicoma
Mülleri Corda 510
Helicomyces
roseus Lk 1386
Helicosporium
vegetum Nees 229
Helminthosporium
altum Preuss 948
†apicale B. & Br. 947
apiculatum Corda 945
Clavariarum Desm. 123
†delicatulum Berk. 233
†dendroideum B. & Br. 946
†exasperatum B. & Br. 1380
foliculatum Corda 231
molle Berk. & Curt. 1910
†obovatum Berk. 232
oosporum Corda 944
rhabdiferum Berk. 1053
Rousselianum Mont. *508
scolecoides Cd. 1052
†Smithii B. & Br. 507
†sticticum B. & Br. 758
†Tiliae Fr. 230
†turbinatum B. & Br. 508
Helotium
aquaticum Curr. 1075
fagineum Fr. 963*
ferrugineum Fr. 962
imberbe Fr. 963
infundibulum Fr. 961
laburni B. & Br. 1624
luteolum Curr. 1054
melleum B. & Br. 1487
†pruinosum Jerd. 1174
sublateritium B. & Br. 1488
tuba Fr. b. ochracea 1486
Helvella
atra Kön. 1721
elastica Bull. 86
Ephippium Lév. 552
esculenta Pers. 825
gigas Kromb. 1060
Klotschei Cooke 1921
sulcata Afz. 764, 1152, 1826*

Hendersonia Berk.
arcus B. & Br. *413
†elegans Berk. 208
fimbriseda Berk. 743
macropus B. & Br. 416
macrospora B. & Br. 413
mutabilis B. & Br. 414
polycystis B. & Br. 415
Stephensii B. & Br. 502
typhoidearum Desm. 417
Hiatula
Wynniae B. & Br. 1772
Hydnangium
carneum Wallr. 1448*
carotaecolor Berk. 299, 811*
Stephensii Berk. 300
Hydnobolites
Tulasnei Berk. 317
Hydnoglaea B. & Br. & Currey 1297*
Hydnum
acre Quélet 1893
alutaceum Fr. 714
†anomalum B. & Br. 1438
argutum Fr. 1026
aurantiacum A. & S. 1368
aureum Fr. 1970
bicolor A. & S. 1297
cirrhatum P. 1370
compactum Fr. 1367
denticulatum P. 1971
ferrugineum Fr. 1369
fragile Fr. 1024, 1366*
gelatinosum Scop. 808
graveolens Delastre 280
laevigatum Swartz 1572
(Resupinatum) limonicolor B. & Br. 1686
melaleucum Fr. 1295
melleum B. & Br. 1436
(Resupinatum) multiforme B. & Br. 1687
nigrum Fr. 1296
niveum Pers. 361, 1026*
nodulosum Fr. 1689
rufescens Fr. 1892*
scrobiculatum Fr. 1294
sepultum B. & Br. 1813
sordidum Weinm. 1688
spathulatum Fr. 281
squamosum Fr. 1435
Stevensoni B. & Br. 1437
tomentosum L. 1025
Weinmanni Fr. 713, 1969
zonatum Batsch 360, 1025*
Hygrophorus
arbustivus Fr. 932, 1013
caprinus Fr. 1278
chlorophanus Fr. 933
chrysodon Fr. 1356*
cinereus Fr. 1561, 1669
Clarkii B. & Br. 1358
Colemannianus Blox. 701, 1559*
discoideus Fr. 1558
foetens Phill. 1780
fornicatus Fr. 1420

Hygrophorus (cont.)
fusco-albus Fr. 1962
glauco-nitens Fr. 1671
glutinifer Fr. 2019
Houghtoni B. & Br. 1360
irriguus Fr. 1280
lacmus Fr. 1559, 1780*
laetus Fr. 702
leporinus Schaeff. 700
limacinus Fr. 1277
livido-albus Fr. 1357
†mesotephrus B. & Br. 699
metopodius Fr. 1359
micaceus B. & Br. 1779
nemoreus Fr. 1668
obrusseus Fr. 798
penarius Fr. 1778
pratensis Fr. 1356*
pulverulentus B. & Br. 1667
puniceus Fr. 1281
russo-coriaceus Berk. & Miller 332
sciophanus Fr. 1560, 1885
subradiatus Schum. 1670, 1886
turundus Fr. 1670* var. mollis B. & Br. 1279
ventricosus B. & Br. 1777
vitellinus Fr. 2020
Wynniae B. & Br. 1781, 1962*, 2043*
Hymenochaete
Stevensoni B. & Br. 1817
Hymenogaster
albus (Kl.) 296
citrinus Vitt. 293
luteus Vitt. 294
muticus B. & Br. 376
olivaceus Vitt. 295
tener Berk. 297, 937*
Hymenula
constellata B. & Br. 1590
punctiformis B. & Br. 729
Hyphelia
rosea Fr. 1447
Hypocrea
delicatula Tul. 1176
farinosa B. & Br. 592
floccosa Fr. 593
†inclusa B. & Br. 970
†lenta Fr. 1395*
luteovirens Fr. 594
myrmecophila Cesati 591
parmelioides Mont. 1831*
†Vitalbae B. & Br. 829
Hypomyces
aurantia Tul. 1102, 1175*
†Broomeianus Tul. 1175
chrysospermus Tul. 1832
luteo-virens B. & Br. 1101*, 1175*
†ochraceus Tul. 1175*
Hypoxylon
succenturiatum B. & Br. 830
Hysterangium
nephriticum Berk. 298, 937*
Thwaitesii B. & Br. 377
Hysterium
arundinaceum Schr. var. gramineum 1494
commune Fr. 588
curvatum Fr. 587
†repandum Blox. 1181
typhinum Fr. 589
†varium Fr. 1180

Illosporium
carneum Fr. 497
coccineum Fr. 499
corallinum Rob. 498
Institale
effusa Fr. 756
Irpex
carneus Fr. 1972
obliquus Fr. 1297*
pendulus Fr. 1573
spathulatus Fr. 1815
Isaria
arachnophila Ditm. 117
brachiata Schum. 30
citrina Pers. 31
felina Fr. 1050
floccosa Fr. 1906
Friesii Mont. 491
intricata Fr. 118
†puberula Berk. 221
sphingum Schwein. 1710
tomentella Fr. 1711

Kneiffia
†setigera Fr. 363, 1299*
subgelatinosa B. & Br. 1444

Labrella
†Ptarmicae Desm. 107, 1629*
Laccaria B. & Br.
bellus B. & Br. 1994*
laccatus B. & Br. 1994*
Lactarius
camphoratus Fr. 706
chrysorheus Fr. 704*
controversus P. 1282
cyathula Fr. 1016
glyciosmus Fr. 1360*
intermedius Krombh. 1887
lysignus Fr. 2021
minimus Smith 1557
mitissimus Fr. 799
obnubilus Lasch 1784
pallidus Pers. 705
pubescens Schrad. 1015, 1282*
pyrogalus Fr. 798*
scoticus B. & Br. 1783
squalidus Krombh. 1556
Terrei B. & Br. 1673
theiogalus Bull. 704
trivialis Fr. 934
turpis Weinm. 703
vietus Fr. 1672

Lasiobotrys
†Lonicerae Sprengel 661*
Lecythea
Epitea Lév. 477
mixta Lév. 478
Poterii Lév. 1047
Lentinus
fimbriatus Curr. 1019, 1889*
lepideus Fr. 2022
pulverulentus Fr. 1567
resinaceus Trog *1283
scoticus B. & Br. 1423
Lenzites
flaccida Fr. 1796*
sepiaria Fr. 337
Leotia
chlorocephala Schwein.
circinans P. 1617
Stevensoni B. & Br. 1827
Leptostroma
glechomatis B. & Br. 1449
juncinum Fr. 108
vulgare Fr. 205
Leptothyrium
†asterinum B. & Br. 1901
Juglandis Lib. 402, 1450*
pictum B. & Br. 1450
Licea
applanata Berk. 393
perreptans Berk. 392
Lindbladia
†effusa Fr. 1605
Lycogala
flavo-fuscum Ehrb. 1591
parietinum Fr. 381
Lycoperdon
atropurpureum Vitt. 730
echinatum P. 1307*, 1375
Hoylii B. & Br. 1307
saccatum Schum. 210

Macrosporium
†concinnum Berk. 235
†sarcinula Berk. 125
Marasmius
amadelphus Fr. 277
angulatus (Pers.) 1018
archyropus Fr. 276
Broomeii Berk. 1795
calopus Fr. 1790
caulicinalis Fr. 1136
Curreyi B. & Br. 1794
epichloe Fr. 1566
†Hudsoni Fr. 708*
impudicus Fr. 1789
insititius Fr. 1792
languidus Fr. 1017, 1679
saccharinus Fr. 1793
scorteus Fr. 1677, 1962*
spodoleucus B. & Br. 803
Stephensii B. & Br. 708, 1135*
terginus Fr. 1361
torquescens Quélet 1678
urens Fr. 275, 1889
Vaillantii Fr. 1791
varicosus Fr. 1788, 2044
Wynnei B. & Br. 802
Melanconium
bicolor Nees 37, 250
elevatum Cd. 1462
sphaerospermum Lk 251
Melanogaster
ambiguus Tul. 302, 1032* β intermedius 302
Broomeianus Berk. 301
Melasmia
acerina Lév. 443
Melogramma
†oligosporum B. & Br. 895, 971*
rubro-notatum B. & Br. 894
Menispora
lucida Corda 530
Merulius
carbonarius A. & S. 1283
laeticolor B. & Br. 1681
molluscus Fr. 712
pallens Berk. 151
Porinoides Fr. 358
rufus Pers. 357
tremellosus Schrad. 77
Microcera
coccophora Desm. 1311
Micropera
Drupacearum Lév. 437
Milesia White
†polygoni Berk. & White 1709
Monosporium
†saccharinum B. & Br. 1379
Monotospora
†elliptica B. & Br. 1909
†megalospora B. & Br. 759, 943*
†sphaerocephala B. & Br. 819
Morchella
crassipes Pers. 1151
esculenta δ conica Fr. 553
Mucor
pruinosus B. & Br. 1495
stolonifer Ehrb. 1719
†succosus Berk. 225
Mystrosporium
alliorum Berk. 1982
stemphylium Corda 949
Myxormia B. & Br.
†atroviridis B. & Br. 447
Myxosporium
dracaenicola B. & Br. 1896
Myxotrichum
†chartarum Kz. 121
†deflexum Berk. 122
†ochraceum B. & Br. 1475

Naematelia [Nematelia]
encephala Fr. 292
virescens Corda 374
Nectria
†Albertini B. & Br. 971

Nectria (*cont.*)
Bloxami B. & Br. 781
†citrino-aurantia Desm. 1492
†furfurella B. & Br. 1331
†graminicola B. & Br. 897
Helminthicola B. & Br. 896
hirta Blox. 1101
inaurata B. & Br. *781
Keithii B. & Br. 1625
ochraceo-pallida (B. & Br.) var. corallina B. & Br. 779*
Peziza Fr. 971*
Ralfsii B. & Br. 780
†rosella (A. & S.) 971
Rousseliana Mont. 898 var. viridis B. & Br. 898
Nemaspora
grisea Cord. 1310
Neottiospora
Caricum Desm. 435
Nidularia
pisiformis Tul. 1039, 1309*

Octaviana
compacta Tul. 1826
Odontia
barba Jovis Fr. 1299
Oedemium
atrum Corda 501
Oedocephalum
†laeticolor B. & Br. 1056
Oidium
abortifaciens Lk 545
aequivocum B. & Br. 821
Balsamii Mont. 763
chartarum Lk 130
concentricum B. & Br. 547
†Favorum B. & Br. 762
leucoconium Desm. 244
microspermum B. & Br. 1387
porriginis Mont. 546
Tuckeri Berk. 544
Onygena
apus B. & Br. 582*
corvina Alb. & Schwein. 582*
piligena Fr. 219
Oomyces B. & Br.
carneo-albus B. & Br. 590
Ophiotheca
chrysosperma Curr. 1309*
Ostracoderma
pulvinatum Fr. 1701
Ovularia
elliptica B. & Br. 1980
syringae Berk. 1981

Panus
conchatus Fr. 1283*
patellaris Fr. 1680
Stevensoni B. & Br. 1796
Papulospora
sepedonioides Preuss *761

Patellaria
aquatica Curr. 1079
atro-vinosa Blox. 1078, 1330*
citrina B. & Br. 583
clavispora B. & Br. 774
†Fergussoni B. & Br. 1490
livida B. & Br. 775
†(Mollisia) olivacea Batsch 1077
pallida Berk. 1831
palustris Curr. 1080
†proxima B. & Br. 965
Paxillus
atrotomentosus Batsch 697
Fagi B. & Br. 1961
filamentosus Fr. 1276
Lepista Fr. 1554
leptopus Fr. 1666*
paradoxus (Kalchb.) 1555
spilomaelus Fr. 1666
Penicillium
†abnorme B. & Br. 1914
coffeicolor B. & Br. 1614
fasciculatum Sommerf. 129
macrosporum B. & Br. 1978
megalosporum B. & Br. 1457
roseum Lk 535
†saponis B. & Br. 1913
†subtile Berk. 241
Perichaena
†decipiens B. & Br. 1605 *bis*
picea B. & Br. 1377
quercina Fr. 1376
†strobilina 1605 *bis**
Periconia
†brassicaecola B. & Br. 1452
discolor Corda 495*
glaucocephala Corda 495
Phillipsii Berk. & Leight. 1453
Perisporium
Arundinis Desm. 220
vulgare Corda 1103
Peronospora
affinis Rossman 1715
calotheca De By 1454, 1714*
dipsaci Tul. 1916
†entospora B. & Br. 1317
ficariae Tul. 1399
hyoscyami De By 1401
interstitialis B. & Br. 1455
lamii De By 1400
obliqua Cooke 1058, 1917*
rufibasis B. & Br. 1456
sordida B. & Br. 953
sparsa Berk. 1057
†violacea Berk. 1714*
Pestalozzia
funerea Desm. 1463
Peziza
(Dasyscyphae) Acuum Fr. 1165
(Humaria) aggregata B. & Br. 1155
(Calycinea) albida Roberge 1724
albo-testacea Desm. 560
†(Hymenoscyphae) amenti Batsch 1323

Peziza (*cont.*)
(Geopyxis) ammophila Dur. & Lév. 1721*
apala B. & Br. 561
†(Mollisea) aquosa B. & Br. 1326
(Geopyxis) arenaria Osb. 1619, 1721*
(Dasyscyphae) aspidiicola B. & Br. 771
(Mollisia) auricolor Blox. 1068
Babingtonii B. & Br. 554
badia P. 306
(Dasyscyphae) Berkeleii Blox. 770
Bloxami B. & Br. 566
(Mollisia) Browniana Blox. 1072
brunnea A. & S. 309
†(Humaria) brunneo-atra Desm. 1157
(Lachnea) brunneola Desm. 1482
†(Helvelloideae) bufonia P. 1154
†(Mollisia) Bullii Sm. 1324
Cacaliae Pers. 569
(Dasyscyphae) calyculaeformis Schum. 959, 1164
(Hymenoscyphae) Candolleana Lév. 1723
†(Geopyxis) carbonaria Alb. & Schw. 1063
caucus Reb. 572
caulicola Fr. 310
(Helvelloideae) cerea Sow. 1060*
†(Humaria) Chateri Sm. 1390
Chavetiae Libert 565
Ciborioides Fr. 158
(Geopyxis) ciborium Fr. 1479
ciliaris Schrad. 559
†(Dasyscyphae) citricolor B. & Br. 1321
Clavariarum Desm. 563
Clavus A. & S. 575
(Helvelloideae) cochleata β alutacea Fr. 1478
(Humaria) constellatio B. & Br. 1621
(Sarcoscyphae) coprinaria Cooke 1722
cornea B. & Br. 578
(Geopyxis) Cornubiensis B. & Br. 767
corticalis P. 311, 562
cupularis P. 309
†(Mollisia) Dematiicola B. & Br. 1070
(Dasyscyphae) diplocarpa Curr. 1067
domestica 768*
echinophila Bull. 567
(Sarcoscyphae) eclecta Berk. & Cooke 1937*
†(Mollisia) elaphines B. & Br. 1325
eriobasis Berk. 312
†(Mollisia) erythrostigma B. & Br. 1168
†(Dasyscyphae) escharodes B. & Br. 1322
(Patellea) euphorbiae B. & Br. 1829
(Humaria) exidiiformis B. & Br. 1480
†fibrillosa Curr. 1156*
firma 772*
†(Encoelium) fraxinicola B. & Br. 1160
furfuracea Roth 157
†fusarioides Berk. 12
(Dasyscyphae) fuscescens P. 1622
(Humaria) fusispora Berk. var. scotica Berk. 1481
†Geaster B. & Br. 956, 1162 (described twice as new species, first in § Geopyxis, afterwards in § Sarcoscyphae)
glumarum Desm. 768
†(Humaria) haemastigma Fr. 1159
helotioides Fr. 573
†(Mollisia) hepatica Batsch 1069
(Humaria) hinnulea B. & Br. *1320
hirta Schum. 557, 768*
†(Humaria) humosa Fr. 768*, 1156*
†(Mollisia) hydnicola B. & Br. 1327
†(Dasyscyphae) ilicincola B. & Br. 958
(Calycinae) imberbis Bull. 1167
Johnstoni Berk. 313
(Mollisia) lacustris Fr. 1073
†(Sarcoscyphae) lanuginosa Bull. var. Sumneri B. & Br. 1161
†(Dasyscyphae) lasia B. & Br. 1391
Ledi A. & S. 160
†(Helvelloideae) leiocarpa Curr. 1062
†leporina 1153*
†(Fibrina) leptospora B. & Br. 1166
†leucoloma 768*, 1156*
lignyota Fr. 579
livida Schum. 558
luteo-nitens B. & Br. 556
lutescens Hedw. 826
†(Discina) macrocalyx Russ. 1320
melaloma A. & S. 88
(Mollisia) micrometra B. & Br. 773
†(Calycina) minutissima Batsch 1071
mutabilis B. & Br. 564
(Mollisia) nervisequia Desm. 1171
nitidula B. & Br. 570
(Humaria) ollaris Fr. 1828
†onotica 1153*
(Mollisia) paulula Roberge 960
(Geopyxis) Percevali Berk. & Cooke 1721*
†(Mollisia) peristomialis B. & Br. 1169
†(Helvelloideae) phlebophora B. & Br. 1153
(Tapesia) Piggotii B. & Br. 769
Polytrichi 768*, 1156*
pustullata P. 307
†(Sarcoscyphae) pygmaea Fr. 1066, 1160*
†(Sarcoscyphae) radiculata Sow. 1160*
(Patellea) Resinae Fr. 1173
rhabarbarina Berk. 89
†(Taphesia) rhabdosperma B. & Br. 1621
rosae Pers. 10
(Mollisia) rubella P. 1484
†rudis Berk. 574
†(Dasyscyphae) rufo-olivacea A. & S. 1320*
†(Humaria) rutilans Fr. 1154*
salicella Fr. *573
†(Humaria) salmonicolor B. & Br. 1158
sanguinea Pers. 11
†saniosa Schrad. 87
scutellata 768*
†sepulta Fr. 766, 1162
(Fibrina) siparia B. & Br. 772
Sphaerioides Pers. 577

Peziza (*cont.*)
(Mollisia) Stevensoni B. & Br. 1485
Straminum B. & Br. 571
striata Fr. 568
(Hymenoscyphae) strobilina Fr. 1483
†(Humaria) subhirsuta Schum. 1156
†succosa Berk. 156
testacea Moug. 576, 826*
†(Sarcoscyphae) theleboloides A. & S. 1065
†(Helvelloideae) trachycarpa Curr. 1061
trechispora 768*
(Mollisia) tripolii B. & Br. 1623
†(Sarcoscyphae) umbrosa Fr. 1163
(Dasyscyphae) Vectis B. & Br. 957
versiformis Pers. 159
vesiculosa 1154*
(Mollisia) viburnicola B. & Br. 1170
†(Discina) viridaria B. & Br. 555, 1320*
†(Sarcoscyphae) vitellina Pers. 1163*
†(Humaria) Wrightii Berk. & Curt. 1064
Phacidium
†abietinum Schmidt 1330
†coronatum Fr. 58
leptideum Fr. 1830
Rubi Fr. 586
†simulatum B. & Br. 967
Vaccinii Fr. 1729*
Phlebia
contorta Fr. 1814*
lirellosa (P.) 1973
vaga Fr. 51
Phlyctaena
Johnstoni B. & Br. 639*
vagabunda Desm. 753
Phoma
asteriscus B. & Br. 394
bicuspidata Berk. 740
concentricum Desm. 197
depressum B. & Br. 397
devastatrix B. & Br. 813
epileuca Berk. 738
eriophorum B. & Br. 812
exiguum Desm. *400
fibricola Berk. 739
inophila Berk. 735
lingum Desm. *395
microscopicum B. & Br. 401
mucifera Berk. 736
nothum B. & Br. 395
piceum B. & Br. 399
radula B. & Br. 396
Samarorum Desm. 398
sticticum B. & Br. 400
ulmicola Berk. 737
Phycomyces
nitens Kze 224
Physarum
atrum Fr. 216, 1598*
hyalinum Pers. 213
lilacinum Fr. 215
†metallicum Berk. 29, 1308*
nigrum Fr. 1598
Schumacheri Spreng. 1826*
theiotum Fr. 1596
tussilaginis B. & Br. 1597
utriculare Chev. 214
Piggotia B. & Br.
†astroidea B. & Br. 503
Pilacre
†faginea B. & Br. 380
Petersii Berk. & Curt. 824
Pilidium
carbonaceum Lib. 442
Pistillaria
culmigena Mont. & Fr. 85
Polyactis
†capitata B. & Br. 1919
†galathina B. & Br. 1385
Polyangium
vitellinum Lk 15
Polycystis
Colchici Tul. 485
parallela B. & Br. 486
Violae B. & Br. 487
Polyporus
acanthoides Fr. 1964
(Anodermei) adiposus B. & Br. 711
(Merisma) alligatus Fr. 2046
(Anodermei) alutaceus Fr. 1799
aneirinus Fr. 353
(Resupinati) bathyporus Rostkovius 357, 1807
(Resupinata) blepharistoma B. & Br. 1434
bombycinus Fr. 350
borealis Fr. 1429
brumalis Fr. 343
callosus Fr. 1431
(Placodermei) carneus Fr. 1366
cellaris Desm. 348
(Anodermei) cerebrinus B. & Br. 1800
cervinus Pers. 347
(Anodermei) chioneus Fr. 806
†cinctus Berk. 6
(Resupinati) collabefactus B. & Br. 1432
(Inodermei) cryptarum N. 1804
(Anodermei) cuticularis Fr. 1137
(Anodermei) epileucus Fr. 1287, 2046*
(Resupinatus) farinellus Fr. 1292
floccopus Rostk. 1427, 1568
(Placodermei) fomentarius var. pomaceus Pers. 2023*
(Anodermei) fragilis Fr. 710
frondosus Fr. 1364
(Placodermei) fulvus Fr. 1138
(Resupinati) Gordoniensis B. & Br. 1023
(Inodermei) gossypinus Fr. 2024
(Inodermei) Herbergeii Rostk. 1805
(Resupinatus) hibernicus B. & Br. 1291
(Inodermei) hirsutus Fr. 1139
(Resupinati) hybridus B. & Br. 1022*
(Resupinati) hymenocystis B. & Br. 1810 *bis*
(Anodermei) Keithii B. & Br. 1430
(Resupinati) Laestadii Fr. & Berk. 2025
lentus Berk. 1426*

Polyporus (cont.)
leucomelas Fr. 1682
(Pleuropus) melanopus Fr. 1286
(Resupinatus) micans Ehb. 1289
Michelii Fr. 1963
(Anodermei) mollis Fr. 1365
mucidus Fr. 1967
nidulans Fr. 345
nitidus Fr. 349
obducens Pers. 352
pectinatus Kl. 1965
(Pleuropus) petaloides Fr. 2023
(Inodermei) polymorphus Rostk. 1802
(Placodermei) populinus Fr. 1288
(Inodermei) pubescens Fr. 1803
quercinus Fr. 344
(Resupinati) radula Fr. 1808
(Resupinati) ramentaceus B. & Br. 1809
(Inodermei) ravidus Fr. 2047
(Resupinati) Rennyi B. & Br. 1433
(Resupinati) reticulatus P. 1891
(Resupinati) reticulatus Weinm. 1810
(Resupinati) rhodellus Fr. 1806
(Placodermei) roseus Fr. 1801
(Pleuropus) Rostkovii Fr. 709, 2045*
rutilans Fr. 346
salicinus Fr. 346*b*
(Resupinatus) sanguinolentus Fr. 1290
(Mesopus) Schweinitzii Fr. 805
spumeus Fr. 78
(Resupinatus) Stephensii B. & Br. 356
(Resupinati) subfuscus-flavidus Rostk. 1022
(Resupinati) subgelatinosus B. & Br. 1569
terrestris Fr. 355
trabeus Fr. 1428
(Resupinati) umbrinus Fr. 1890
vaporarius Fr. 354, 1022*
velutinus Fr. 1966
(Resupinati) violaceus Fr. 1021
(Resupinatus) viridans B. & Br. 937
vitreus Fr. 351
(Inodermei) Wynnei B. & Br. 807
Porothelium
confusum B. & Br. 1685
Friesii Mont. 359, 1682*
Keithii B. & Br. 1684
Stevensoni B. & Br. 1683
Prosthemium
stellare Riess 939
Protomyces
chrysosplenii B. & Br. 1472
Comari Berk. & White 1708
Fergussoni B. & Br. 1473
macrosporus Ung. 1474 *bis*
melanodes B. & Br. 1898
menyanthes De By 1474
microsporus Ung. 1471
Psilonia
arundinis Desm. 35, 551*
†discoidea B. & Br. 1150 var. lateritia B. & Br. 1319*
nivea Fr. *821, 1319*
Psilopezia
†myrothecioides B. & Br. 1489
Pterula
multifida Fr. 1304
subulata Fr. 1588
Ptychogaster
albus Cd. 1039
Puccinia
Andersoni B. & Br. 1464
Apii Cd. 1147
Calthae 1608*
Campanulae Carm. 472
coronata Cord. 473
Fergussoni B. & Br. 1465
Galiorum Lk 253
Moliniae Tul. 1608
noli-tangeris Cord. 1044
Oxyriae Buch. White 1983
Rhodiolae B. & Br. 468
Scrophulariae Lib. 471
senecionis Libert 1466
Smyrnii Cord. 469
tripolii B. & Br. 1467
truncata B. & Br. 754
Umbilici Guépin 470
veronicarum DC. 1310*
Pyronema
marianum Carus & Nees v. Esen. 9

Radulum
aterrimum Fr. 1814
corallinum B. & Br. 1441
deglubens B. & Br. 1440
epileucum B. & Br. 1442
fagineum Fr. 1298
quercinum Fr. 362
tomentosum Fr. 1439
Ramularia
†veronicae B. & Br. 1917
Reticularia
†applanata B. & Br. 1142
olivacea Fr. 1592
Rhinotrichum
†Bloxami B. & Br. 541
lanosum B. & Br. 1316
†Opuntia B. & Br. 761
repens Preuss 1149
†Thwaitesii B. & Br. 542
Rhizina
undulata Fr. 1076
Rhizoctonia
Menthae B. & Br. 985
Rhopalomyces
†candidus B. & Br. 505
†pallidus B. & Br. 504
Rhyparobius
†argenteus B. & Br. 1394
Cookei Boud. 1393
dubius Boud. 1392
†woolhopensis Renn. 1395
Rhytisma
empetri B. White 1630

Russula
adusta Fr. 800
aurata Fr. 335
chamaeleontina Fr. 1014
consobrina Fr. 1676
cyanoxantha Fr. 1131
elephantina Fr. 1785
emetica Fr. 333
fellea Fr. 1787
fragilis Fr. 1282*
galochroa Fr. 1563
integra Fr. 334
lactea Fr. 1133
Linnaei Fr. 1786
nauseosa Fr. 1283
nigricans Fr. 799*
ochroleuca Pers. 707
olivacea Fr. 1562
pectinata Fr. 1564
Queletii Fr. 1888
semicrema Fr. 1674
vesca Fr. 1282*
veternosa Fr. 1132
xerampelina Schaeff. 1675

Schinzia
alni Woron. 1616
Schizophyllum
commune Fr. 1796
Scleroderma
geaster Fr. 1308, 1375*
Sclerotium
cepivorum Berk. 168
†medullare Berk. 14
neglectum Berk. 91
roseum Kneiff. 163
truncorum Fr. 53
Selenosporium
tuberculariodes Cd. 1904
Sepedonium
roseum Fr. 132
Septonema
elongatispora Preuss 1059
†irregulare B. & Br. 942
spilomeum Berk. 466
Septoria
Aceris B. & Br. 432
Avellanae B. & Br. 1606
†Badhami B. & Br. 748
Bloxami B. & Br. 1979*
Hippocastani B. & Br. 434
hyperici Desm. 1460
†insularis B. & Br. 747
Lepidii Desm. 431
†lituus B. & Br. 744
nodorum Berk. 433
Polygonorum Desm. 749
†princeps B. & Br. 940
†Ralfsii B. & Br. 745
†salicella B. & Br. 746
stachydis Desm. 1461
violae Rab. 1902

Solenia
†fasciculata Pers. 1301
†ochracea Hoffm. 1300*
Sparassis
crispa Fr. 1030, 1139*, 1301*, 1975
Speira
toruloides Cd. 1041
Sphaerella
Taxi Smith 2050
Sphaeria
acervata Fr. 98
†acuminata Sow. 189, 639*
aggregata Lasch 1987
(Caulicolae) Alliariae Auersw. 1178
†(Obtectae) amblyospora B. & Br. 627
†(Foliicolae) anarithma B. & Br. 893
†angelicae Berk. 28
†(Platystomae) angustilabra B. & Br. 881
(Obtectae) anserina Pers. 889
(Subtectae) apiculata Curr. 1333*
(Caespitosae) apotheciorum Mass. 871
†appendiculosa B. & Br. 613
aquila Fr. 180
arbuticola Fr. 188
†(Demidatae) arenula B. & Br. 622
argillacea Fr. 169
†(Subtectea) Argus B. & Br. 626
Artocreas Tode 654*
arundinacea Sow. 603
arundinis Fr. 27 var. Trictici 639*
†(Pertusae) Aspegrenii Fr. 879
†(Obtectae) aucta B. & Br. 628
Avellanae Schm. 101
†(Caespitosae) barbula B. & Br. 870
†(Subtectae) blepharodes B. & Br. 978
†(Pertusae) brachythele B. & Br. 877
†(Denudatae) brassicae Klotzsch 1333*
†(Foliicolae) Brassicae (Chev.) 656*
†(Obtectae) bufonia B. & Br. 629
Buxi Desm. 639*
(Villosae) callimorpha Mont. 872
†(Foliicolae) Cariceti B. & Br. 983
caricis Fr. 604
†(Foliicola) carpinea Fr. 655
†(Denudatae) caudata Curr. 1333*
(Caulicolae) caulium Fr. 982
ceuthosporoides Berk. 179
†(Villosae) chaetomium Corda 620
†(Caulicolae) Clivensis B. & Br. 643
(Obtectae) clypeata Nees 888*
†comata Tode 639*
†(Caulicolae) commanipula B. & Br. 645
†(Depazea) concava Berk. 194
conferta Fr. 177
confluens Tode 597
†(Obtectae) conformis B. & Br. 635
coniformis Fr. 190
controversa Desm. 602
(Depazea) Convolvulicola Dec. 195
coprophila Fr. 596
cornicola Fr. 54
cruciferarum Fr. 191
cucurbitula Tode 174, 609

Sphaeria (cont.)
culmifraga Fr. 614
(Villosae) cupulifera B. & Br. 1333
decedens Fr. 24
†derasa B. & Br. 639*
†(Byssisedae) Desmazierii B. & Br. 618
detrusa Fr. 18
†(Depazea) Dianthi A. & S. 104
†(Byssisedae) Dickiei B. & Br. 617
dissepta Fr. 173
†ditopa 631*
†(Obtectae) dochmia B. & Br. 630
empetri Fr. 1627
epidermidis Fr. 186, 639*
epimyces Fr. 187
†(Denudatae) Epochnii B. & Br. 1177
†(Villosae) Eres B. & Br. 621
Eryngii Fr. 657
†(Foliicolae) eucrypta B. & Br. 652
†(Platystomae) excipuliformis Fr. 880
exilis A. & S. 606
exosporioides Desm. 620*
†(Obtectae) farcta B. & Br. 631
favacea Fr. 17
†(Villosae) felina Fuck. 1332
(Platystomae) fibritecta Berk. 777
(Denudatae) fimicola Roberge 1097
flavida Corda 610
(Obtectae) Fraxinicola Curr. 1098
fulva Fr. 182
funicola B. & Br. 611
†(Obtectae) fuscella B. & Br. 636
†(Obtectae) futilis B. & Br. 638
(Obtectae) Glis Berk. & Curr. 884
†(Caulicolae) gloeospora Berk. & Curr. 980
(Depazea) graminicola Berk. 103
†(Circinatae) hapalocystis B. & Br. 615
(Foliicolae) helicospora B. & Br. 653
†(Obtectae) hemitapha B. & Br. 885
herbarum P. var. glumarum B. & Br. 641*
herpotricha Fr. 26
hippotrichioides Sow. 94
†(Subtectae) holoschista B. & Br. 977
hypodermia Fr. 21
†(Obtectae) hypotephra B. & Br. 624
†(Subtectae) intermixta B. & Br. 639
irregularis Sow. 598
†(Pertusae) Jenynsii B. & Br. 875
†(Platystomae) Jerdoni B. & Br. 975
†(Byssisedae) Keitii B. & Br. 1626
Kunzei Fr. 601
†(Ceratostomae) lampadophora B. & Br. 882
lanata Fr. 185
†(Foliicolae) Leightoni B. & Br. 659
leprosa P. 1986
†(Ceratostomae) ligneola B. & Br. 883
(Seriatae) liñeolata Roberge 616
†(Caulicolae) Lunariae B. & Br. 892
lutea A. & S. 170
(Platystomae) macrostoma Tode 881*
†(Villosae) macrotricha B. & Br. 619
maculans Desm. 641*, 1727
maculans Sow. 641*
marginata Schwein. 595
mastoidea Fr. 183
†(Obtectae) melanotes B. & Br. 623
†(Obtectae) melina B. & Br. 888
†(Villosae) membranacea B. & Br. 1493
†(Foliicolae) microspila B. & Br. 984
microstoma Pers. 20
†(Caulicolae) modesta Desm. 644
muscivora B. & Br. 608
†(Caespitosae) naucosa Fr. 974
†(Caespitosae) nigerrima Blox. 869
†(Caulicolae) nigrans Desm. 640
nigrella Fr. 649*
ochraceo-pallida B. & Br. 607
obducens Schum. b. minor 100
†(Obturatea) obliterans B. & Br. 890
†(Obtectae) oblitescens B. & Br. 887
†(Obtectae) obtecta Curr. 979
†(Caulicolae) Ogilviensis B. & Br. 642
†ophioglossoides Ehr. 92
†(Denudatae) ordinata Fr. 973
Ostruthii Fr. 102
†(Pertusae) paedida B. & Br. 1396
†(Depazea) pallor Berk. 193
†(Foliicolae) palustris B. & Br. 654
pantherina Berk. 23
†papaverea B. & Br. 612
pardalota Mont. 99
pedunculata Dicks. 93
†perforans Roberge 650
†(Obtectae) persistens B. & Br. 637
†(Pertusae) pertusa Fr. 878
†phaeocomes 207*
†phaeosticta Berk. 651
phaeostroma D. R. & M. 605
†(Caulicolae) Phomatospora B. & Br. 647
(Villosae) pilosa P. 1096*
†(Caulicolae) pinodes B. & Blox. 981
†(Caulicolae) planiuscula B. & Br. 891
podoides Pers. 600
†(Pertusae) poecilostoma B. & Br. 876
(Denudatae) pomiformis P. 1333*
populina Pers. 96
Pteridis Desm. 656
pulicaris Fr. 175
(Denudatae) pulveracea Ehrh. 973*
pulvis pyrius P. 622*
quercina Pers. 172
Rabenhorstii B. & Br. 631*, 983*
†(Obtectae) revelata B. & Br. 634
†(Obtectae) rhodobapha B. & Br. 1334
†(Denudatae) rhytidodes B. & Br. 873
†(Confertae) Rhytismoides Bab. 178
†(Depazea) Ribicola Fr. 192*
riccioidea Bolt. 95
rubiginosa Pers. 16
(Foliicolae) Rumicis Desm. 658
Rusci Wallr. 639*
†(Foliicolae) sabuletorum B. & Br. 650
†sanguinea var. cicatricum Berk. 25
(Caespitosae) Saubenetii Mont. 868

Sphaeria (*cont.*)
scabrosa Dec. 171
†(Villosae) scatigena B. & Br. 972
scirpicola Dec. 641* var. Typharum Desm. 641*
scoriadea Fr. 176
(Caulicolae) semilibera Desm. 641
†sepioncla 636*
sinopica Fr. 97
†(Obtectae) siparia B. & Br. 625
(Depazea) stemmatea Fr. 192
stercoraria Curr. 1097*
Stevensoni B. & Br. 1728, 1926
†(Ceratostomae) stylophora B. & Br. 176
suffusa 983*
†(Caulicolae) tenebrosa B. & Br. 649
†(Caulicolae) Thwaitesii B. & Br. 646
†tomicum Lév. var. minor B. & Br. 633
†(Caulicolae) tosta B. & Br. 648
Triglochinicola Curr. 1100
†(Villosae) tristis Tode 181, 618*, 1332*
†(Caulicolae) tritorulosa B. & Br. 778
†(Obtectae) trivialis B. & Br. 632
Ulicis Fr. 599
†(Obtectae) unicaudata B. & Br. 886
(Depazea) vagans Fr. 105
†(Caulicolae) Vectis B. & Br. 779
velata Fr. 19
(Obtectae) verecunda Curr. 1099
(Denudatae) vesticola B. & Br. 874
vilis Fr. 184
xanthostroma Mont. 22
Sphaeronema
†aemulans B. & Br. 1378
†blepharistoma Berk. 57, 196
leucoconium B. & Br. 405
subulatum Tode 1309*
Sphaeropsis
Candollii 423
cylindrospora Desm. 418
epitricha B. & Br. 422
geniculata B. & Br. *421
leucostigma Lév. 420
menispora B. & Br. 425
mutica B. & Br. *422
parca B. & Br. *420
pinea (Desm.) 1039*
Ralfsii B. & Br. 419
Strobi B. & Br. 421
thecicola B. & Br. 424
Sphinctrina
coremioides B. & Br. 1398
tigillaris B. & Br. 1093
Spondylocladium
†fumosum Preuss 1314
Sporocybe
†albipes B. & Br. 1333*
alternata Berk. 227
†lobulata Berk. 228
†nigrella Berk. 226
Sporodesmium [Sporidesmium]
†abruptum B. & Br. 1042
antiquum Cord. var. compactum B. & Br. 453
Lepraria Berk. 750
†lobatum B. & Br. 1146
melanopum B. & Br. 455
†opacum Cd. 1145
polymorphum Cord. 452
pyriforme Cord. 454
scutellare B. & Br. 456
†triglochinis B. & Br. 1607
†uniseptatum B. & Br. 815
Sporodum
Conopleoides Cord. 543
Sporomena
phacidioides Desm. 1900
Sporoschisma B. & Br.
mirabile B. & Br. 467
Stachybotrys
atra Cord. 817
Stachylidium
†trabeum B. & Br. 1920
Stemonitis
arcyrioides Sommerf. 114
Physaroides A. & S. 386
†pulchella Bab. 217
typhoides Dec. 113
violacea Fr. 387
Stereum
frustulosum Fr. 1300
ochroleucum Fr. 1818
pini Fr. 1579
rubiginosum Fr. 2026
rufum Fr. 1580
stratosum B. & Br. 2027
vorticosum Fr. 1578, 1973*
Stictis
†chrysophaea Fr. 966, 1328*
graminum Desm. 1328
Hysterioides Desm. 314
†lecanora Schm. & Kze 1172 †var. pyri B. & Br. 1624*
Lichenicola Mont. 166
nivea Pers. 167
Phacidioides Fr. 162
Stilbospora
angustata Pers. 36
biloculata Johnst. 207*
Stilbum
†anomalum Berk. 34
†aurantiacum Bab. 223
bicolor P. 1310*
†cuneiferum B. & Br. 1451
fasciculatum B. & Br. 492, 1148*
fimetarium B. & Br. 494
†melleum B. & Br. 1609
†orbiculare B. & Br. 1714
piliforme Pers. 33
rigidum Pers. 32
Stevensoni B. & Br. 1713
turbinatum Tode 1310*
vaporarium B. & Br. 493
Strobilomyces
strobilaceus Berk. 1136*

Stysanus
putredinis Cda 1712
Synchytrium
anemones Wor. 1389*
mercurialis Fuck. 1389
taraxaci de By & Wor. 1388
Syzygites
megalocarpos Ehr. 120

Tetraploa B. & Br.
†aristata B. & Br. 457
Thamnidium
Van Tieghemi B. & Br. 1496
Thecaphora
hyalina Fingerh. 1148, 1310*
Thelebolus
terrestris A. & S. 964
Thelephora
anthochroa Fr. 809
arida Fr. 8
biennis Fr. 364
caesia Fr. 365
caryophyllaea Fr. 283
clavularis Fr. 1575
crassa Lév. 1693
cristata Fr. 284
crustacea Schum. 1577
fastidiosa Fr. 285
intybacea Pers. 1576, 1893*
lactea Fr. 81
lactescens Berk. 153
laevis Pers. 80
laxa Fr. 366
mollissima P. 286
†multizonata B. & Br. 1028, 1300*
pallida Fr. 1574
puteana Schum. 7
Sowerbeii Berk. 1027*, 1574*
spadicea Fr. 50
tabacina Fr. 152
tuberosa Grev. 1692*
undulata Fr. 1816
Tilmadoche
mutabilis Rtfki. 1700*
Torula
abbreviata Cord. b. sphaeriaeformis B. & Br. 464
†basicola B. & Br. 465
graminis Desm. 134
Hysterioides Corda 751
Plantaginis Corda 252
pulvillus B. & Br. 463
Sporendonema B. & Br. 462
Trametes
Bulliardi Fr. 1293
inodora Fr. 1570
purpurascens B. & Br. 1811
Terrei B. & Br. 1571
Tremella
†epigaea B. & Br. 373
foliacea Pers. 13
frondosa Bull. 810
indecorata Sommerf. 725, 810*
torta Willd. 372
versicolor B. & Br. 726
vesicaria Bull. 724
†viscosa (P.) 727
Triblidium
caliciiforme Fr. 775*
Trichia
Ayersii B. & Br. 390
†flagellifer B. & Br. 1143
Neesiana Corda 218
serotina Schrad. 391
Trichobasis
Cirsii Lasch 1608*
Lynchii Berk. 1706
Parnassiae Cooke 1046
Triposporium
†elegans Corda 509, 1053*
Tuber
bituminatum B. & Br. 581
excavatum Vitt. 1094
macrosporum Vitt. 580
melanosporum Vitt. 320
nitidum Vitt. 321
rufum Pico 322
scleroneuron B. & Br. 582
Tubercularia
albida Berk. 165*
Tuburcinia
Scabies Berk. 489
Trientalis B. & Br. 488
Tympanis
saligna Tode 584
Typhula
†? gracilis Desm. & Berk. 84
gracillima White 1699
translucens B. & Br. 1589

Uredo
Artemisiae Chev. 136
hypodytes Schlecht. 256
Padi Schmidt & Kze 1045
plantaginis B. & Br. 1905
pompholygodes Schlecht. 137
Sempervivi A. & S. 476
Symphyti D.C. 475
Valerianae D.C. 474
Urocystis
Primulaecola Mag. 2049
Uromyces
concomitans B. & Br. 1470
Ustilago
grammica B. & Br. 483
hypodytes Fr. 481
Kuehniana Wolff 1707
Montagnei Tul. 479
Salveii B. & Br. 482
typhoides (Wallr.) 480
vinosa Tul. 484

Valsa
†(Circinatae) aglaeostoma B. & Br. 862
(Incusae) angulata Fr. 848*
(Obvallatae) biconica Curr. 857

Valsa (*cont.*)
†(Circinatae) bitorulosa B. & Br. 861
†(Circinatae) chrysostroma Fr. 861*
(Incusae) concamerata Curr. 867
(Circumscriptae) Crataegi Curr. 848, 1986
(Incusae) dryina Curr. 850
(Circinatae) faginea Curr. 864
†(Obvallatae) fenestrata B. & Br. 853
†(Circinatae) hypodermia Fr. 862*
(Circinatae) Innesii Curr. 863
(Obvallatae) intexta Curr. 860
lageniformis Curr. 1096
†(Obvallatae) Plantanigera B. & Br. 851
(Obvallatae) pulchra Curr. 858
(Obvallatae) querna Curr. 856
(Obvallatae) rhodophlia B. & Br. 855
(Circumscriptae) syngenesia Fr. 847
†(Incusae) taleola Fr. 849
(Obvallatae) tetraploa Berk. & Curt. 854
(Obvallatae) tetraspora Currey 859
†(Obvallatae) tetratrupha B. & Br. 852
(Circinatae) Tiliaginea Currey 865
(Circinatae) vestita Fr. 866
Venturia
alchemillae B. & Br. 1493*
Vermicularia
atramentaria B. & Br. 430
Verpa
digitatiformis P. 1921*
speciosa Vitt. 1922
Verticillium
†apicale B. & Br. 531
†aspergillus B. & Br. 1384
†distans B. & Br. 534
†epimyces B. & Br. 533
†nanum B. & Br. 532
Vibrissea
margarita White 1477
microscopica B. & Br. 1618
truncorum Fr. 305
Volutella
Buxi (Cord.) 495*
ciliata Fr. 495*
hyacinthorum (Berk.) 495*
†melanoma B. & Br. 496
setosa (Grev.) 495*

Xenodochus
carbonarius Schlecht. 133
Xylaria
vaporaria Berk. 1095

Zygodesmus
terrestris B. & Br. 1915